

(12)

EP 0 889 448 A2

EUROPEAN PATENT APPLICATION

(43) Date of publication: 07.01.1999 Bulletin 1999/01 (51) Int. Cl.6; G07F 7/08, G07C 1/00

(11)

- (21) Application number: 98112153.6
- (22) Date of filing: 01.07.1998
- (84) Designated Contracting States:

 AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU

 MC NL PT SE

 Designated Extension States:

 AL LIT LV MK RO SI
- (30) Priority: 01.07.1997 US 886516
- (71) Applicant: PITNEY BOWES INC. Stamford Connecticut 06926-0700 (US)

- (72) Inventors:
 - Berson, William
 Weston, CT 06883 (US)
 - Weston, CT 06883 (US

 Zeller, Claude
- Monroe, CT 06468 (US)
- (74) Representative:
 Avery, Stephen John et al
 Hoffmann Eitle,
 Patent- und Rechtsanwälte,
 Arabellastrasse 4
 81925 München (DE)

(54) Method for preventing counterfeiting of articles of manufacture

(57) A method for verifying the source of an article of manufacture. A fabel having information relating to the article is prepared and digitally signed or otherwise energypted to authenticate the information. The lebbl and a tamplife representation of the digital signature or other energypted information are then accurely associated with the article. The information rare then accurely associated with the article. The information such earn engine of the article or the article are include verifying information such as an experision date, unique identification of the article, identification of an authorized provider of the article or a description of the article to protect against unsuchristic due of objicities labels. The label can also include an unreproduceable pattern such as a pattern of magnetic fibers embedded in the label and a digitally signed description of the patern.




FIG. 1

Description

The subject invention relates to labeling of articles. More particularly, it relates to a method for labeling articles of manufacture to identify their source and prevent sounterfailing.

Counterfelling and torgery of goods are well known problems. Manufacturers of luxury goods such as watches, luggage, perfume, etc. must constantly deal with counterfellers who produce chasp initiations. And 10 even inappensive goods such as Tehrist can acquire considerable cachet, and associated high markup, by being marked with the image of a furnous carbon character, or other valueble, proprietary logo.

While the counterfeiting of consumer goods or 15 other articles of manufacture thus represents a problem which is probably comparable to probleme associated with the counterfeiting of documents which represent value (e.g., currency), until recently no comparable of the counterfeiting of the combat this problem. While of there is a long history of techniques such as elaborate engraving and use of special paper stocks to prevent counterfeiting of currency, in general similar efforts have not been used even for the most expensiva luxury goods.

Another approach which has barn used to combat counterfeiting of documents is the use of exception. U.S. Patent No. 4,853,961; to: Pastor; issued: Dec. 18, 1987 describes one method for encrypting information extracted from a document and impriring the document with the encrypted information in order to verify the information contained in the document. Similarly, U.S. Patent No. 5,393,198, issued: February 7, 1995; to: Wilisam Berson teaches a method wheren a document is scanned to produce a digital signal which is compressed, encryptic, and coded as a two dimensional bar code, which is incorporated into a labal which is effected to the document.

While these and other similar methods have bean useful of their intended purposes, that purpose has 40 bean limited to this varification of the information content of a document. In general, those who use such techniques either are not concerned that the information ba duplicated so long as it is not attended, or, as with our-rency, are willing to rely on other techniques to detect 45 duplications. Since much of the value of the sort of strickes of manufacture which are likely to be counterfeited inheres in the fact that each particular trien is essentially inclistinguishable from other items of the same type, there has been, to applicant be fast knowledge, no previous attempt to use encryption techniques to verify the source of artifacts of manufacture.

Another related use of encryption relates to the identification of individuals. Commonly assigned, coppending European patent application No. 0599569; by: ss Marcus; filed; November 19, 1993 describes an identification card which includes an encrypted representation of a biometric haracteristic of an individual be identification.

fied (e.g., a lingerprint or facial image). This encrypted representation is decrypted and compared to the individual. Again, since articles of manufacture which are likely to be counterfeiled in general do not have distinct polarizations, characteristics, applicant believes that there has been no effort to apply such techniques to the problem of verifying this source of an article of manufacture. (Even if an article includes a unique marking such as a sortal number, in general there is no commentant way to determine if the serial number is original or a duplication.)

Thus, it is an object of the subject invantion to provide a method whereby encryption techniques may be used to verify the source of articles of manufacture.

The abova object is achieved, and he disadvanlages of the prior at are overcome in accordance with the subject invention by mans of a method with includes the steps of preparing a label which includes information relating to an article of manufacture and encypting at least a portion of the information. The acceptance was a subject of the information of the encypting at least a portion of the information. The encypting information are then sourcely associated to

As used herein, the farm "label" includes not only conventional labels which are gloud or otherwise aftixed to an article but also includes the marking which is associated with the article and which is sufficiently likely to ramain associated with the article through the period of interast. For example, the label for an expensive watch or piece of piecely may be engineed on the article itself, while the label for a relatively inexpansive appliance may be printed on the shipping carbon.

Also, as used herein "securely associating" means that the article, label, and the angible representation of the encrypted information are associated in a manner such that the likely expense and difficulty of trying to separate and reuse the label and langible representation will exceed any benefit which can be obtained thereby.

In accordance with one aspect of the subject Invention, the information included on the label includes vertfying information, such as expiration date, a particularly identification of the article such as a serial number, an identification of an authorized provider of the article, or a description of the article, while protecting against unauthorized use of duplicate labels.

In accordance with another aspect of the subject invention, the label includes an unreproduceable pattern and the method includes the further stap of including an encrypted description of the unreproduceable pattern with the encrypted information.

In accordance with another aspect of the subject invention, the encrypted information is encrypted with a private key of a public/private key pair and the corresponding public key is available to parties who wish to validate the source of the article.

Thosa skilled in the art will recognize that the above object is achieved, and that the disadvantages of prior art are overcome by the subject invention. Other objects and advantages of the subject invention will be apparent to those skilled in the art from consideration of the attached drawings and the detailed description set forth below.

Fig. 1 is a semi-schematic plan view of a label used in practicing the method of the subject invention.

Fig. 1 shows label 10 which can be used in accordance with the subject invention to verify the source of an 10 article of manufacture. Label 10 can include conventional loco 12 and/or brand name 14, as well as any other information which might normally be found on a product label. Additionally, in one embodiment of the subject invention, verifying information is included in 15 field 16, 20, 22, and 24. These fields might confain, for example, a serial number uniquely identifying a particular article, a description of such article in terms of size, color, model, etc., the identity of an authorized provider or reseller of such an article, or an expiration date beyond which a sale would not be authorized. As will be described further below, such verifying information provides a degree of protection against the unauthorized use of duplicate labels since a particular label will have only limited usefulness in terms of the time, place, or 25 articles with which it may be used. (Though it has been noted above that serial numbed have had limited usefulness in preventing counterfeiting of articles of manufacture, a serial number can be useful where articles are sold in large lots since a counterfeiter would need to 30 copy labels for each item in a lot.)

All, or selected portions, of the information on label 0 is then replicated in a scannable form in field 28. Preferably, the information is replicated in the form of a two dimensional bar code such as is specified in the well known PG 417 standard. All, or selected parts, of the information on label 10 is then digitally signed in a conventional manager in titled 3.

In accordance with the subject invention, a marufacture or authorized provider of an article of manufacture prepares a label such as shown in Fig. 1 using an encryption key which the manufacture or other authorized provider keeps in accret. Label 10 is then securally associated with the article, typically by altixing it to the article so that it cannot be removed without destroying 4

It should be noted that other methods of securely secolating labe I low the articles, such as printing it on a container for the article, are also within any comtemplation of the subject invention. Further, label 10 soned not comprise a single element. For example, the information in leid 28 and/or the diplast signature in field 30 may be printed on an invoice or manifest which accompanies the article. As noted above, secure association of label 10 with an article of manufacture or expensive in some manner so that it is likely that the code of unauthorized reuse of label 10 will exceed any

benefit.

While the use of verifying information as described above limits the ability of a counterfeiter to use duplicate labels, some articles of particularly great value may require more nearly total protection. This is achieved in accordance with one embodiment of the subject invention by incorporation of an unreproduceable pattern in or on label 10. Such a pattern is shown as elements 32 in Fig. 1. Preferably elements 32 are magnetic tibers as are described in U.S. Patent No. 5,003,291; to: Strom-Olsen: issued: March 26, 1991 which is hereby incorporated by reference, which is incorporated in the stock on which label 10 is printed when the stock is manufactured. Since the fibers are randomly distributed through the stock as it is formed, the distribution pattern of such fibers in a particular label cannot be reproduced without extraordinary effort. When the label is produced, unreproduceable pattern 32 is scanned and a tangible representation, which is preferably a barcode representation, is incorporated in field 34 and digitally signed together with the information in field 28. A very high degree of confidence of the authenticity of label 10 may then be achieved by scanning patterns 32 and comparing it to the description in field 34. Verification of the description in field 34 will then verify the authenticity of label 10.

Methods for detecting the presence of magnetic fibers are known and are described in the above-referenced U.S. Patent No. 5,003,291 and a sufficiently precise description may be generated by scanning label 10 with a detector having a sufficiently small aperture.

Other methods of producing an unreproduceable pattern are known; one of the simplest being simply to spatter a shoet of paper stock with drope of ink or pain. Any such method which can be described and scanned with sufficient precision is within contemplation of the subject invention; where the degree or protection needed is determined by the desired degree of protection, since clearly the more precision the unreproduceable pattern is described, the more difficult in will be to approximate.

in another preferred embodiment of the subject invention, the information on label 10 is digitally be invention, the information on label 10 is digitally adducting the private key of a publiciprivate key pair. (Publiciprivate key encryption is a brown encryption technique where one key of a key pair is used to encrypt data and the other to deciprit the data and the private key cannot be determined from knowledge of the data and the public key). Thus, the public key may be made widely available while the private key is kept in secret so that articles of manufacture may be readily verified in accordance with the subject invention but can only be so labeled by a manufacturer or authorized provider having knowledge of the private know;

One disadvantage of such a system is that where a learn a number of parties are providing articles to a sinleg party for verification. The verifying party is then taced with the problem of maintaining a database of public keys for each of the providing parties. This problem can be overcome in accordance with another embodiment of the subject invention by means of a "nested key" system, wherein a trusted third party delivers distinct private, encryption keys to each of the providing parties together with a corresponding decryption key which has been encrypted with the third party's private, encryption key. The providing parties then digitally sign label 10 as described above and incorporate the encrypted decryption key on label 10. Any party wishing to verify label 10 need only have knowledge of the trusted third party's public, decryption key to recover the decryption key needed to verify digitally signed label 10.

5

The method of the subject invention may also be used to control the production of articles by licensees of trademarks or other intellectual property. The trademark licenser may control the supply of labels to the trade- 15 mark licensee to control or monitor the number of articles produced. Alternatively, the licensee may label the articles as described above while the licenser controls the process of digitally signing the labels.

It should also be noted that stock having an unre- 20 produceable pattern in combination with an encrypted or digitally signed description of that pattern can be used to produce valuable documents such as currency. or security tapes used to provide evidence of tampering.

Digital signing is a well known technique for show- 25 ing that information has not been changed, wherein a portion of the information selected by a "hash function" is encrypted to provide a "digital signature". By again applying the "hash function" to the information and comparing the result to the decrypted signature the information may be verified. However, other protocols wherein all or part of the particular information is encrypted in order to assure its authenticity are known and such techniques are within the contemplation of the sub-convention.

The embodiments described above have been provided by way of illustration only and other embodiments of the sub-convention will be apparent to those skilled in the art from consideration of the above detailed description and the attached drawings. Accordingly, limitations 40 on the subject invention are to be found only in the claims set forth below.

Claims

- 1. A method for verifying the source of an article of manufacture, said method comprising the steps of:
 - a) preparing a label, said label including information relating to said article;
 - b) encrypting at least a portion of said information included on said label;
 - c) securely associating said article, said label, and a tangible representation of said encrypted information.
- 2. A method described in Claim 1 wherein said information included on said label includes verifying

information for protecting against unauthorized use of duplicate labels.

- 3. A method as described in Claim 2 wherein said veritving information includes information consisting of: an expiration date, a unique identification of said article of manufacture, an identification of a provider of said article of manufacture, or information describing said article of manufacture.
- A method as described in Claim 1 wherein said label further includes an unreproduceable pattern and said method includes the further step of including a description of said unreproduceable pattern with said information included on said label.
- 5. A method as described in Claim 4 wherein said unreproduceable pattern is formed from magnetic fibers embedded in said label.
- A method as described in Claim 4 wherein said encrypted information is encrypted with a first private key of a first public/private key pair and a corresponding first public key is available to parties who wish to validate the source of said article.
- 7. A method as described in Claim 6 wherein a trusted third party provides a party producing said label with said first private key and with an encryption of said first public key by a second private key kept secret by said trusted third party, said producing party including said encryption of said first public key with said label and said trusted third party providing a corresponding second public key to parties who wish to verify the source of said article; whereby said parties can recover said first public key from said label so that articles from a large number of different sources can be verified without the need to maintain a corresponding database of public keys.
- A method as described in Claim 1 wherein said encrypted information is encrypted with a first private key of a first public/private key pair and a corresponding first public key is available to parties who wish to validate the source of said article.
- A method as described in Claim 8 wherein a trusted third party provides a party producing said label with said first private key and with an encryption of said first public key by a second private key kept secret by said trusted third party, said producing party including said encryption of said first public key with said label and said trusted third party providing a corresponding second public key to parties who wish to verify the source of said article: whereby said parties can recover said first public key from said label so that articles from a large

number of different sources can be verified without the need to maintain a corresponding database of public keys.

- 10. A method for labeling an article, said method comprising the steps of:
 - a) providing a label for said article, said label having an unreproduceable pattern; b) scanning said label to generate a signal representative of said unreproduceable pattern; c) encrypting at least a portion of said signal; d) securely associating a tangible representation of said encrypted portion of said signal,
- 11. A method for verifying a label, said label having an unreproduceable pattern, and a tangible representation of at least an encrypted portion of a signal description of said unreproduceable pattern being as securely associated with said label, said method comorising the steps of:

said article and said label.

- a) scanning said label to generate a second signal descriptive of said unreproduceable pattern:
 25
- b) reading said tangible representation to recover said encrypted portion of said descriptive signal;
 - decrypting said encrypted portion or so encrypting a corresponding portion of said second signal; and
 - d) comparing said decrypted portion of said descriptive signal with said corresponding portion of said second signal, or comparing said encrypted portion of said descriptive signal with said corresponding encrypted portion of said second signal, to verify said label.

55




FIG. I